

2/21

FIG. 2






FIG. 3



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


3/21

FIG. 4




4/21

FIG. 5



5/21

FIG. 6



6/21

FIG. 7




FIG. 8





FIG. 9



7/21

FIG. 10




FIG. 11





FIG. 12



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/21

FIG. 13






FIG. 14



U.S. PATENT OFFICE
WASHINGTON, D.C. 20540

9/21

FIG. 15



10/21

FIG. 16






FIG. 17




11/21

FIG. 18



12/21

FIG. 19



14/21

FIG. 21




FIG. 22

INCH SIZE (cm)	NAME	LAYOUT CLASSIFICATION	THE NUMBER OF PIXELS
14×17(35×43)	HALF-SIZE PORTRAIT	VERTICAL	2048 2560
17×14(43×35)	HALF-SIZE LANDSCAPE	HORIZONTAL	2560 2048
14×14(35×35)	LARGE SIZE	VERTICAL/HORIZONTAL	2048 2048
10×12(24×30)	1/4-SIZE PORTRAIT	VERTICAL	1768 1450
12×10(30×24)	1/4-SIZE LANDSCAPE	HORIZONTAL	1450 1768

15/21

FIG. 23





FIG. 24




APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

16/21

FIG. 25

1702 SENSOR AREA



1703
IRRADIATION FIELD AREA
(USER'S INSTRUCTION)


1701 FILM AREA

1702 SENSOR AREA
1703 IRRADIATION FIELD AREA
(USER'S INSTRUCTION)
1701 FILM AREA

17/21

FIG. 26

UPPER LEFT PORTION OF SENSOR




EXTRACTION OR THE LIKE

SENSOR POSITION
MARKING SECTION


1211

MARK AT UPPER
LEFT OF SENSOR



1212


ROTATION/REVERSAL
SECTION



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


18/21

FIG. 27




1901
REDUCTION MARKING

19/21
FIG. 28



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 29



APPROVED	O.C. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

21/21

FIG. 30A




FIG. 30B




FIG. 30C

